



Exit & Emergency

Thermoplastic LED
Exit/Emergency Combo



PROJECT INFORMATION

JOB NAME	
FIXTURE TYPE	LED Exit/Emergency Combo
CATALOG NUMBER	
APPROVED BY	

SPECIFICATIONS

Construction:

The EEC Series is a slim-profile thermoplastic LED exit sign/emergency light combo that offers modern design, including a standard flat faceplate, long-lasting and energy-efficient LEDs, an innovative LED lamp head and uniform illumination in an economical package.

Two factory-installed fully-adjustable, glare-free LED round lighting heads

Injection-molded, high-impact, UV-stabilized, UL94 V-0 thermoplastic construction

Snap-fit faceplate design for installation without tools

Removable universal chevrons for directional indications

Universal single face and double face (extra faceplate included)

Electrical:

Input: 120/277VAC, 60Hz, 5.0W/4.8W

Maintenance-free nickel-cadmium battery
(RC version nickel-metal hydride)

Energy-saving LED

Remote-Capable version provides 3.44 watts for 90 minutes

Temperatures:

Min Start: 20°C Max: 30°C

Installation:

Top, back, J-box or end mounting through universal mounting plate and canopy

Listings:

Luminaire is certified to UL/cUL Standards for Damp Locations

Testing:

Atlas LED luminaires have been tested by an independent laboratory in accordance with IESNA LM-79 & LM-80.


Warranty:

Five-year limited warranty



DIMENSIONS

Weight: 2.7 lbs.



ORDERING INFORMATION

CATALOG #	DESCRIPTION	FINISH	LETTER COLOR	VOLTS
EECPRWR	Thermoplastic LED Exit/Emergency Combo	White	Red	120/277
EECPRWG	Thermoplastic LED Exit/Emergency Combo	White	Green	120/277
EECPWRRC	Thermoplastic LED Exit/Emergency Combo - Remote Capable	White	Red	120/277
EECPRWGRC	Thermoplastic LED Exit/Emergency Combo - Remote Capable	White	Green	120/277

Atlas Lighting Products, Inc.

PO Box 2348 | Burlington, NC 27216
800-849-8485 | www.atlasled.com